



**SPECIFICATIONS**

**SELECT FILL**

- CBR 5
- PI LESS THAN 15
- MAXIMUM PARTICLE SIZE 80mm
- COMPACT TO 98% STANDARD COMPACTION

**ACCESS ROAD PAVEMENT**

- 100mm COURSE OF DENSE GRADED BASE 20, COMPLYING WITH RMS MATERIAL SPECIFICATION
- COMPACTED TO 98% MODIFIED COMPACTION

**DISCLAIMER**

A NOMINAL PAVEMENT THICKNESS IS DETAILED, AND THE DESIGNERS IN NO WAY CERTIFY THIS PAVEMENT DESIGN. THIS NOMINAL PAVEMENT THICKNESS HAS BEEN ADOPTED IN LIAISON WITH UNE STAFF

		<b>CLIENT</b> UNIVERSITY OF NEW ENGLAND		<b>SCALES</b> A3 ORIGINAL		<b>DRAWN</b> MM		<b>JOB No.:</b> IV2060		<b>ISSUE</b> B	
<b>PROJECT</b> SPECTATOR VIEWING MOUND BELLVUE OVAL, UNE TYPICAL SECTIONS		<b>DESIGNED</b> AD				<b>DATE</b> -		<b>DOCUMENT No.:</b> D002		<b>SHEET No.:</b> 2 OF 2	
<b>Port Macquarie</b> 69 Lord St, Port Macquarie NSW 2444 Ph: 02-65843888 Fax: 02-65843988 Email: john@leg.com.au		<b>Inverell</b> 162 Otho Street, Inverell NSW 2360 Ph: 02-67225110 Fax: 02-67223918 Email: andrew@leg.com.au		<b>APPROVED</b> JC		<b>DATE</b> 26/09/12		<b>STATUS:</b> TENDER		<b>REG. No.:</b> -	
<b>ISSUED FOR TENDER</b> B JC 26/09/12		<b>PRELIMINARY</b> A JC 26/09/12		<b>FILE NAME:</b> IV2060_D.dwg		<b>DATUM:</b> ASSUMED AHD		<b>DATE</b> -		<b>DATE</b> -	